Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20030191796"	US-PGPUB	OR	OFF	2005/08/08 13:10
S2	1090	(power near3 (low reduc\$3 available)) with threshold	US-PGPUB	OR	OFF	2004/01/28 13:49
S3	1090	(power near3 (low reduc\$3 available)) with threshold	US-PGPUB	OR	OFF	2004/01/28 13:36
S4	3298	(power near3 (low reduc\$3 available)) with threshold	USPAT	OR	OFF	2004/01/28 13:37
S5	60	((power near3 (low reduc\$3 available)) with threshold) same (back\$3 sav\$3 stor\$3 transfer\$4) near data	USPAT	OR	OFF	2004/01/28 15:32
S6	17603	power near available	USPAT	OR	OFF	2004/01/28 13:49
S7	0	(power near available) with threshold	US-PGPUB	OR	OFF	2004/01/28 13:49
S8	17603	power near available	USPAT	OR	OFF	2005/08/08 13:16
S9	156	(power near available) with threshold	USPAT	OR	OFF	2004/01/28 13:53
S10	10	((power near available) with threshold) and g06f\$.ipc.	USPAT	OR	OFF	2004/01/28 13:53
S11	5682	power adj2 (left remain\$2)	USPAT	OR	OFF	2004/01/28 13:53
S12	8750	power near2 (left remain\$2)	USPAT	OR	OFF	2004/01/28 13:55
S13	123	(power near2 (left remain\$2)) with threshold	USPAT	OR	OFF	2004/01/28 13:53
S14	8	((power near2 (left remain\$2)) with threshold) and g06f\$.ipc.	USPAT	OR	OFF	2004/01/28 13:53
S15	6	(power near2 (left remain\$2)) same (sav\$3 near data)	USPAT	OR	OFF	2004/01/28 14:32
S16	2	(power near level) with (sav\$3 near data)	USPAT	OR	OFF	2004/01/28 14:37
S17	431	power with (sav\$3 near data)	USPAT	OR	OFF	2004/01/28 14:38
S18	1438	atkinson.in.	USPAT	OR	OFF	2004/01/28 14:38
S19	226	atkinson.in. and power	USPAT	OR	OFF	2004/01/28 14:39
S20	0	atkinson.in. and performance near3 rate near3 lowe\$1	USPAT	OR	OFF	2004/01/28 14:39
S21	1	atkinson.in. and performance near3 rate near3 lowe\$3	USPAT	OR	OFF	2004/01/28 14:40
S22	1	power with (sav\$3 near data) with server	USPAT	OR	OFF	2004/01/28 14:41
S23	73	(power with (sav\$3 near data)) and "713"/\$.ccls.	USPAT	OR	OFF	2004/01/28 14:44
S24	65	(power with (sav\$3 near data)) and 713/3??.ccls.	USPAT	OR	OFF	2004/01/28 15:27

S25	10991	power near2 remain\$3	USPAT	OR	OFF	2004/01/28 15:28
S26	26747	power near2 available	USPAT	OR	OFF	2004/01/28 15:29
S27	36316	power adj2 (left level)	USPAT	OR	OFF	2004/01/28 15:29
S28	67363	(power near2 remain\$3) (power	USPAT	OR	OFF	2004/01/28 15:29
Sacht 4	(AT) The state of the state of	near2 available) (power adj2 (left level))		and a state of the		A To
S29	5492	((power near2 remain\$3) (power near2 available) (power adj2 (left level))) with (threshold predetermined)	USPAT	OR	OFF	2004/01/28 15:30
S30	1511	(((power_near2_remain\$3) (power	USPAT	OR	OFF	2004/01/28 15:31
		near2 available) (power adj2 (left level))) with (threshold predetermined)) with (detect\$4 determin\$5)				
S31	36	((((power near2 remain\$3) (power near2 available) (power adj2 (left level))) with (threshold predetermined)) with (detect\$4 determin\$5)) same (back\$3 sav\$3 stor\$3 transfer\$4) near data	USPAT	OR	OFF	2004/01/28 15:33
S32	57	((((power near2 remain\$3) (power near2 available) (power adj2 (left level))) with (threshold predetermined)) with (detect\$4 determin\$5)) same (back\$3 sav\$3 stor\$3 transfer\$4) near2 (data information)	ÜSPAT	OR	OFF	2004/01/28 16:25
S33	105	portal adj (server\$1 device\$1)	USPAT	OR	OFF	2004/01/28 16:26
S34	_72 -	portal adj device\$1	USPAT	OR	OFF	2004/01/28 16:26
S35	3	(portal adj device\$1) same power	USPAT	OR	OFF	2004/01/28 16:27
S36	1284	(power adj2 (reduc\$3 decreas\$3)) with (threshold predetermined)	USPAT	OR	OFF	2004/01/28 17:24
S37	45	(power adj2 (reduc\$3 decreas\$3)) with (threshold predetermined) with battery	USPAT	OR	OFF	2004/01/28 17:23
S38	0	((power adj2 (reduc\$3 decreas\$3)) = with (threshold predetermined)) same (sav\$3 near3 (data information\$1))	USPAT	OR	ÖFF	2004/01/28 17:25
S39	587	(power adj2 (reduc\$3 decreas\$3)) with (threshold predetermined)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 17:24
S40	0	((power adj2 (reduc\$3 decreas\$3)) with (threshold predetermined)) same (sav\$3 near3 (data information\$1))	EPO; JPO; DERWENT; IBM_TDB	.OR	OFF	2004/01/28 17:25

S41	0	((power adj2 (reduc\$3 decreas\$3)) with (threshold predetermined)) and (sav\$3 near3 (data information\$1))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 17:25
S42	23	((power adj2 (reduc\$3 decreas\$3)) with (threshold predetermined)) and (sav\$3 near3 (data information\$1))	USPAT	OR.	OFF	2004/01/28 17:25
S43	4372	voltage near3 (below lower) with (threshold predetermined)	US-PGPUB	OR	OFF	2004/01/29 12:54
S44	24055	voltage near3 (below lower) with (threshold predetermined)	USPAT	OR 1	OFF	2004/01/29 12:55
S45	23	(voltage near3 (below lower) with (threshold predetermined)) same ((data information) near3 sav\$3)	USPAT	OR	OFF	2004/01/30 14:05
S46	451	(sav\$3 near2 (data information\$1)) with server\$1	USPAT	ŌR	OFF	2004/01/30 14:07
S47	12	((sav\$3 near2 (data information\$1)) with server\$1) same power	USPAT	OR	OFF	2004/01/30 14:08
S 48	16	(US-6618812-\$ or US-6105138-\$ or US-5835780-\$ or US-5519871-\$ or US-5437040-\$ or US-5414861-\$ or US-5990664-\$ or US-6055062-\$ or US-6571343-\$ or US-6345180-\$ or US-6571343-\$ or US-6567381-\$ or US-6336174-\$ or US-5848231-\$).	USPAT	OR	ÖFF	2004/01/30 15:07
S49	8	((US-6618812-\$ or US-6105138-\$ or US-5835780-\$ or US-5519871-\$ or US-5437040-\$ or US-5414861-\$ or US-5990664-\$ or US-6055062-\$ or US-5095438-\$ or US-6345180-\$ or US-6571343-\$ or US-6567381-\$ or US-6336174-\$ or US-5848231-\$). did.) and external	USPAT	OR	OFF	2004/01/30 15:09
S50	1	((US-6618812=\$ or US-6105138=\$ or US-5835780-\$ or US-5519871-\$ or US-5437040-\$ or US-5414861-\$ or US-5990664-\$ or US-6055062-\$ or US-5095438-\$ or US-6345180-\$ or US-5991883-\$ or US-6567381-\$ or US-6336174-\$ or US-5848231-\$). did.) and (external near3 sav\$3)	USPAT	OR	OFF	2004/01/30 16:01
S51	15	((sav\$3 near2 (data information\$1)) with server\$1) same (failure malfunction\$1)	USPAT	OR	OFF	2004/01/30 16:02
1	1. 1. Carlotte, 17 (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	A probability of the second of the second of the	USPAT	THE RESERVE THE COLUMN	and a single big community	The state of the s

	T					
S53	2	(subsequent adj data) with lost with (warn\$3 indicat\$4)	USPAT	OR	OFF	2004/01/30 16:38
S54	157	data with (loss lost) with warn\$3	USPAT	OR	OFF	2004/01/30 16:39
S55	35	(data with (loss lost) with warn\$3) same power	USPAT	OR	OFF	2004/01/30 16:39
S56	1	(unrecoverable adj (data information)) with power	USPAT	OR	OFF	2004/01/31 13:45
S57	0	(unrecoverable adj (data information)) with sav\$3	USPAT	OR	OFF	2004/02/03 10:34
S58	.4	(unrecoverable adj (data information)) with only	USPAT	OR	OFF	2004/01/31 13:46
S59	1	(unrecoverable adj (data information)) with sav\$3	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/31 13:48
S60	0	(neccessary adj (data information)) with sav\$3 with only	USPAT	OR	OFF	2004/01/31 13:49
S61	23	(necessary adj (data information)) with sav\$3 with only	USPAT	OR	OFF	2004/02/03 11:02
S62	6180	(send\$3 provid\$3) near2 battery	USPAT	OR	OFF	2004/01/31 13:52
S63	6	(send\$3 provid\$3) near2 "new battery"	USPAT	OR	OFF	2004/01/31 13:52
S64	157	(thuan near2 du).xa.	USPAT	OR	OFF	2004/02/02 15:58
S65	339	restor\$3 near2 data with power	USPAT	OR	OFF	2004/02/02 16:31
S66	24	(restor\$3 near2 data) with power with (predetermined threshold)	USPAT	OR	OFF	2004/02/02 16:28
S67	1	"4864493".pn.	USPAT	OR	OFF	2005/08/08 13:29
S68	1	"4862493".pn.	USPAT	OR	OFF	2004/02/02 16:34
S69	29	restor\$3 near2 data with "power failure"	USPAT	OR	OFF	2004/02/02 16:40
S70	1	"3801963".pn.	USPAT	OR	OFF	2004/02/02 16:36
S71	1	"5396637".pn.	USPAT	OR	OFF	2004/02/02 16:36
S72	21	restor\$3 near2 data with "power	JPO;	OR	OFF	2004/02/02 16:37
- 1		-failure"	DERWENT		0	
S73	8	(unrecoverable with (data information)) with sav\$3	USPAT	OR	OFF	2004/02/03 10:34
S74	33	(necessary adj (data information))	USPAT	OR	OFF	2004/02/03 10:49
triju i		with sav\$3 with power			98	
S75	1	(necessary adj (data information)) with sav\$3 with (power near2 fail\$3)	USPAT	OR	OFF	2004/02/03 10:49
S76	26	(necessary adj (data information))	EPO; JPO;	OR	OFF	2004/02/03 10:54
r f i g	- 3	with sav\$3 with power	DERWENT; IBM_TDB			

S77	2	(necessary adj (data information)) with sav\$3 with power with only	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/03 10:54
S78	43	(necessary adj (data information)) with power with only	USPAT	OR	OFF	2004/02/03 11:03
S79	14	((necessary adj (data information)) near2 only) with power	USPAT	OR	OFF	2004/02/03 11:06
S80	1	"6687839".pn.	USPAT	OR	OFF	2005/03/04 12:34
S81	1	"6735624".pn.	USPAT	OR	OFF	2005/03/04 12:32
S82	66	portal adj server	USPAT	OR	OFF	2005/03/04 13:28
S83	0	S82 same (backup (back\$3 adj up))	USPAT	OR	OFF	2005/03/04 12:36
S84	0	S82 same backup	USPAT	OR	OFF	2005/03/04 13:29
S85	317	portal adj server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 12:37
S86	3	portal adj server same backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 12:58
S87	39	(transfer\$4 transmi\$6) adj6 (portal adj server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 12:41
S88	29	((transfer\$4 transmi\$6) near3 (data information)) adj6 (portal adj server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 12:42
S89	1	portal adj server and CHANDRASEKSARAN.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 12:58
S90	3	CHANDRASEKSARAN.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 12:59
S91	3	portal adj servers	USPAT	OR	OFF	2005/03/04 13:29
S92	74	portal\$ adj server\$	USPAT	OR	OFF	2005/03/04 13:29
S93	0	S92 same backup	USPAT	OR	OFF	2005/03/04 13:30
S94	6	S92 and backup	USPAT	OR	OFF	2005/03/04 13:30
S95	1	"20020042888".pn.	US-PGPUB	OR	OFF	2005/08/08 13:10
S96	. O	power near (available remain\$3) with (remote\$2 near2 sav\$3)	USPAT	OR	OFF	2005/08/08 13:17

S97	0	power near (available remain\$3) with (remote\$2 near2 sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:17
S98	0	power near (available remain\$3 left) with (remote\$2 near2 sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:17
S99	0	power near (available remain\$3 left) same (remote\$2 near2 sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:18
S10 0	0	power near (available remain\$3 left) same ((remote\$2 server) near2 (backup sav\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR I	OFF	2005/08/08 13:24
S10 1	37736	power near (available remain\$3 left)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:58
\$10 2	5922	((remote\$2 server) near2 (backup sav\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:10
S10 3	0	S101 same S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:24
S10 4	127	S101 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR -	OFF	2005/08/08 13:24
S10 5	1	"6324651".pn.	USPAT	OR	OFF	2005/08/08 13:29
S10 6	1	power near (available remain\$3 left) with (notif\$7 near2 (server host))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:59
S10 7	342	((remote\$2 server) near2 (backup sav\$3)) with failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:14

S10 8	167	((remote\$2 server) near2 (backup sav\$3)) with failure	USPAT	OR	OFF	2005/08/08 15:13
S10 9	3	((remote\$2 server) near2 (backup sav\$3)) with (failure near3 power)	USPAT 1	OR	ÖFF	2005/08/08 15:13
S11 0	3	((remote\$2 server) near2 (backup sav\$3)) with (failure near3 power)	USPAT	OR	OFF	2005/08/08 15:13
S11 1	7	((remote\$2 server) near2 (backup sav\$3)) with (failure near3 power)	US-PGPUB; USPAT; EPO: JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:14